CLEANING YOUR WATER COOLER

REMEMBER TO TURN OFF YOUR MACHINE BEFORE STARTING...

CLEAN WITH A NEW CHUX CLOTH AND WATER ONLY ...

STEP 1. LIFT OF BOTTLE SET, PUT ASIDE IN BUCKET OR SINK, TO STOP FLOW OF WATER

(PUSH UP THE FLOAT VALUE BEIGE UPSIDE DOWN CUP)



PLACE BUCKET UNDER COLD TANK DISPENSER ALL WATER OUT, IF COOLED YOU CAN ALSO EMPTY OUT THE HOT SIDE IN 2 STEPS.



FIRST PLACE BUCKET UNDER HOT TAP AND EMPTY,

THEN PLACE WATER COOLER ON SINK, TURN WATER COOLER AROUND THEY IS A PUNG PLUG AT THE BACK OF WATER COOLER, PLACE OVER SINK, UNSCREW LET ALL WATER EMPTY FROM KETTLE AREA...



BUNG PLUG HERE....



REMOVE THE SPINDLE, YOU CAN PLACE YOUR THUMB AND INDEX FINGER INTO HOLES TWIST AND PULL UP...



USE A CLEAN CLOTH TO CLEAN UP ALL THE WATER IN COLD TANK, CLEAN THE SIDES OF TANK MAY BE CALCUIM BUILD UP HERE...

CLEAN SPINDLE

RETURN TO COLD TANK.

START CLEANING ALL OF BOTTLE SET,



UNSCREW THE DOME,

PULL OUT THE CAGE TO REMOVE OLD CLOTH FILTER



CLEAN WITH WATER, OPEN REPLACMENT FILTER, INSIDE THEY IS A NEW BLACK AND WHITE CLOTH,

PLACE THE WHITE SIDE UP...WASHER STAYS IN PLACE BOTTOM OF DOME...

UNSCREW OLD FILTER DISGARD,

WIPE CLEAN ALL OF BOTTLE SET PARTS, EVEN THE WASHER, REMEBER WHERE TO REPLACE WASHER.

FLUSH NEW FILTER UNDER RUNNING TAP WATER

UNTIL WATER RUNS CLEAR OF SMALL PARTICLES OF CARBON...



RUBBER SEAL GOES IN BETWEEN TOP BOWL AND WHITE PLATE

SCREW DOME TO CONECT ALL TOGETHER, DO NOT OVER TIGHTEN...



SCREW YOUR FILTER INTO THREAD ON WHITE PLATE MAKING SURE RUBBER SEAL IS PUSHED ALL THE WAY DOWN ON NEW FILTER...





IF YOU HAVE A FLUORIDE ELIMATOR

CLEAN WITH WATER & TOOTHBRUSH



OR FLUORIDE ELIMINTOR

REMOVE FLOAT VALUE FROM BOTTOM OF BOTTLE SET, HOLDING NUT WITH THUMB...


OLD BEIGE COLOUR - NEW WHITE....



UNSCREW 2 SECTIONS OF FLOAT VALVE



RINSE ALL AREAS WITH A TOOTH BRUSH





WIPE CLEAN ALL AREAS OF BOTTOM BOTTLE SET..WITH WATER ONLY NEVER USE DETERGANT...

NO NEED TO DRY INSIDE OF THE BOWL ...

SCREW ALL PARTS OF FLOAT VALUE BACK TOGETHER ADD BACK TO BOTTLE SET, REMEMBER TO PLACE THE WASHER...NUT GOES INSIDE BOTTOM OF BOTTLE SET...

IF EXTRA CLAENING IN TAP SET IS NEED PLACE CHUX OVER BACK OF LARGE SPOON...

CLEAN INSIDE THE TAP NOZZLE...

ASSEMBLE ALL OF BOTTLE SET TOGETHER

PLACE IN POSITION ON WATER COOLER LOCK INTO PLACE

FILL WITH WATER PAST THE DOME SO THAT WATER BUBBLES TO RELEASE WATER BLOCKAGES



ADD ALLAINE STICKS &



MAGNESUIM PRILL BEADS TO BOTTOM OF BOTTLE SET





CLEAN DRIP TARY WITH WATER & TOOTHBRUSH

CHECK THAT ALL 5 HOLES ARE ACTIVATED AT BOTTOM OF FILTER CHECK FLOW...

IF WATER IS DRIPPING FROM THE OUTSIDE OF FILTER, LIFT TOP OF BOTTLE SET ONCE WATER HAS FLOW THROUGH AND RE TIGHTEN....

CHECK WATER FLOW FROM BOTH TAPS BEFORE TURNING ON...

IMPORTANT TO MAKE SURE WATER IS COMING OUT OF HOT TAP



FREESTANDING WATER COOLERS OPEN THE FRIDGE CHECK DRIP TRAY,

EMPY AND CLEAN WITH CLOTH

YOU CAN PURCHASE TRAYS FOR YOUR WATER COOLER TO SIT ON, TO PROTECT FLOOR SURFACES...

IF WATER IS RUNNING SLOW THORUGH FILTER

FIRMLY TAP SIDE OF TOP BOWL TO RELEASE AIR BUBBLES



OR TRY UNSCREWING THE DOME COMPLETELY AND TAKE OUT,

RETURN AFTER AIR BUBBLES ARE REALEASED.

TURN BACK ON COOLER, SET TEMPERTURES IF REQUIRE

ENJOY A GLASS OF AWESOME TASTING WATER

